


#### Workaround: Route vtext mail direct via send connector

• On-Premise Exchange

0

- o Open Exchange Admin Center
- o Go to Mailflow > Send Connectors
- Add new "vtext" > Type Partner > Next



- Select MX record associated with recipient domain > Next
- Add domain vtext.com in FQDN > Save > Next

#### edit domain

*T			
*Type:			
SMTP			
*Full Qualified Domain Name	e (FQDN):		
vtext.com			
*Cost:			
1			

Save	Cancel
------	--------

0

Add Source Server(s) > Add your specific Exchange server(s) > Ok > Finish



0

### • Exchange Online (O365)

- Open the Exchange Admin Center
- o Go to Mailflow > Connnectors > Add a Connector
- o Select Connection From Office365 > Connect to Partner Organization > Next
- Name the connect (vtext outbound) > Next
- Select Only when email messages are sent to these domains > add vtext.com > Next

## Use of connector

Specify when you want to use this connector.

vtext.com

- Only when I have a transport rule set up that redirects messages to this connector

  Only when email messages are sent to these domains
- Select Use the MX record associated with the partner's domain > Next
- Select Always Use TLS > Any Digital Certificate > Next

# **Security restrictions**

How should Office 365 connect to your partner organization's email server?

- Always use Transport Layer Security (TLS) to secure the connection (recommended)

  Connect only if the recipient's email server certificate matches this criteria

  Any digital certificate, including self-signed certificates

  Issued by a trusted certificate authority (CA)

  Add the subject name or subject alternative name (SAN) matches this domain name:
  - Example: contoso.com or \*.contoso.com

- Skip Validation Email page > Next
- o Create Connector

## **Review connector**

#### Mail flow scenario

From: Office 365

To: Partner organization

#### Name

vtext outbound

#### Status

Turn it on after saving

Edit name

#### Use of connector

Use only for email sent to these domains: vtext.com

Edit use

#### Routing

Use the MX record associated with the partner's domain.

Edit routing

#### Security restrictions

Always use Transport Layer Security (TLS) and connect only if the recipient's email server has a digital certificate.

Edit restrictions

Back Create connector